

Stay Cool

2800 Treble Lane #834
Austin, TX 78704
steven@drinkstaycool.com
(512) 971-1316
Lic. #

Sample: 2410CWB0301.0880

Strain: N/A

Batch#: ; Batch Size: g

Sample Received: 10/25/2024; Report Created: 11/01/2024

Sampling: ; Environment:

Stay Cool Beverages - Watermelon Splash - Delta-9

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:



	0.007%	ND	NR
	Δ9 THC	Total CBD	
	25.00 mg/unit	25.00 mg/unit	
	Total THC	Total Cannabinoids	
			Moisture

Cannabinoids

Analyte	LOQ mg/unit	Result mg/unit	Result mg/mL
THCa	3.40	ND	ND
Δ9-THC	3.40	25.00	0.07
Δ8-THC	3.40	ND	ND
THCV	3.40	ND	ND
CBDa	3.40	ND	ND
CBD	3.40	ND	ND
CBDVa	3.40	ND	ND
CBDV	3.40	ND	ND
CBN	3.40	<LOQ	<LOQ
CBGa	3.40	ND	ND
CBG	3.40	<LOQ	<LOQ
CBC	3.40	<LOQ	<LOQ
Total		25.00	0.07

1 mL = 1.007g.

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; Total Cannabinoids = Sum of quantifiable cannabinoids
LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. The estimated level of uncertainty for these results is 0.05%. Analysis Method: SOP017, SOP030

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
<http://www.clearwaterbiotech.com>
Lic# 100737 L21-505




Lindsey Contella
Certifying Scientist

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.

Stay Cool

2800 Treble Lane #834
Austin, TX 78704
steven@drinkstaycool.com
(512) 971-1316
Lic. #

Sample: 2410CWB0301.0880

Strain: N/A

Batch#: ; Batch Size: g

Sample Received: 10/25/2024; Report Created: 11/01/2024

Sampling: ; Environment:

Stay Cool Beverages - Watermelon Splash - Delta-9

Ingestible, Beverage

Harvest Process Lot: ; METRC Batch: ; METRC Sample:



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Classification: HEMP/CBD FLORIDA - FOOD - HEMP RULES FOR ALL PRODUCTS
OTHER THAN TOPICAL, FLOWER, AND SUPPOSITORIES.
Type: Beverage

Kaycha Labs

2410CWB0301.0880

Matrix: Edible

Type: Beverage

Production Method: Other - Not Listed

Harvest/Lot ID: 10/14/2026

Batch#: -

Sample Size Received: 11 units

Total Amount: 11 units

Retail Product Size: 1 gram

Retail Serving Size: 1 gram

Servings: 1

Ordered: 10/25/24

Sampled: 10/29/24

Completed: 10/31/24

Sampling Method: KP

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41029012-005



Oct 31, 2024 | Clearwater Biotech, LLC

1327 Miller Road
Greenville, SC, 29607, US**PASSED**

Pages 1 of 4

SAFETY RESULTS**Pesticides
PASSED****Heavy Metals
PASSED****Microbials
PASSED****Mycotoxins
PASSED****Residuals
Solvents
PASSED****Filtration
NOT TESTED****Water Activity
NOT TESTED****Moisture
NOT TESTED****MISC.****Terpenes
NOT
TESTED**

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation, Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64E50-39 and F.S. Rule 56-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL 0002
ISO 17025:2017 Accreditation # 05016C
Testing 97164

Signature
10/31/24

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
<http://www.clearwaterbiotech.com>
Lic# 100737 L21-505



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.



Certificate of Analysis

Powered by Confident LIMS
3 of 5

Stay Cool

2800 Treble Lane #834
Austin, TX 78704
steven@drinkstaycool.com
(512) 971-1316
Lic. #

Sample: 2410CWB0301.0880

Strain: N/A

Batch#: ; Batch Size: g

Sample Received: 10/25/2024; Report Created: 11/01/2024

Sampling: ; Environment:

Stay Cool Beverages - Watermelon Splash - Delta-9

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



Kaycha Labs
2410CWB0301.0880
Matrix: Edible
Type: Beverage



Certificate of Analysis

PASSED

Clearwater Biotech, LLC

1327 Miller Road
Greenville, SC, 29607, US
Telephone: (717) 250-5419
Email: info@clearwaterbiotech.com

Sample: DA4129012-005

Harvest/Lot ID: 10/14/2026

Batch#: ;
Sampled: 10/29/24
Ordered: 10/29/24

Sample Size Received: 11 units
Total Amount: 1 units
Completed: 10/31/24 Expires: 10/31/25
Sample Method: 1P

Page 2 of 4

Pesticides						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	µg/g	30	PASS	NO	OXYMETHYL	0.010	µg/g	0.5	PASS	NO
TOTAL DITHIONETHAN	0.010	µg/g	3	PASS	NO	PACLOTRINAZOL	0.010	µg/g	0.1	PASS	NO
TOTAL PERMETHRIN	0.010	µg/g	1	PASS	NO	PHOSMET	0.010	µg/g	0.2	PASS	NO
TOTAL PYRETHRIN	0.010	µg/g	1	PASS	NO	PIPERONYL BUTOXIDE	0.010	µg/g	3	PASS	NO
TOTAL SPINETORAN	0.010	µg/g	3	PASS	NO	PHALANTHIN	0.010	µg/g	0.4	PASS	NO
TOTAL SPINOSAD	0.010	µg/g	3	PASS	NO	PROPIONAZOLE	0.010	µg/g	1	PASS	NO
ABAMECTIN B1A	0.010	µg/g	0.3	PASS	NO	PROPOUR	0.010	µg/g	0.1	PASS	NO
ACQUACETINOL	0.010	µg/g	2	PASS	NO	PYRIDABEN	0.010	µg/g	3	PASS	NO
ACTACETRIFOS	0.010	µg/g	3	PASS	NO	SPINOSAD	0.010	µg/g	3	PASS	NO
ALDOLAC	0.010	µg/g	0.1	PASS	NO	SPINOTERMIN	0.010	µg/g	3	PASS	NO
ADZOTRIFLORES	0.010	µg/g	3	PASS	NO	SPIROXIMIN	0.010	µg/g	0.1	PASS	NO
BIENTHIN	0.010	µg/g	0.5	PASS	NO	THIACLOPRID	0.010	µg/g	1	PASS	NO
BOSCALD	0.010	µg/g	3	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CARBAMAT	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CARBAMAT	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CARBOFEN	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CARBOFEN	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROMETHYL CHLORIDE	0.010	µg/g	3	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO
CHLOROPHOS	0.010	µg/g	0.1	PASS	NO	THIACLOPRID	0.010	µg/g	0.1	PASS	NO

Stay Cool

2800 Treble Lane #834
Austin, TX 78704
steven@drinkstaycool.com
(512) 971-1316
Lic. #

Sample: 2410CWB0301.0880

Strain: N/A

Batch#: ; Batch Size: g

Sample Received: 10/25/2024; Report Created: 11/01/2024

Sampling: ; Environment:

Stay Cool Beverages - Watermelon Splash - Delta-9

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



Kaycha Labs
2410CWB0301.0880
Matrix: Edible
Type: Beverage



Certificate of Analysis

PASSED

Clearwater Biotech, LLC

1327 Miller Road
Greenville, SC, 29607, US
Telephone: (713) 256-5419
Email: info@clearwaterbiotech.com

Sample: DA41029012-005

Harvest/Lot ID: 10/14/2026

Batch: ;

Sampled: 10/26/24

Ordered: 10/26/24

Sample Size Received: 11 units

Total Amount: 1 units

Completed: 10/31/24 Expires: 10/31/25

Sample Method: ;

Page 3 of 4



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHANE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	400	TESTED	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analysed by: 850, 585, 1440

Weight: 0.0222g

Extraction date: 10/30/24 10:38:48

Extracted by: 850

Analysis Method: SOP T.40.041.FL

Analytical Batch: 10407854250L

Instrument Used: DA-GCMS-003

Analysis Date: 10/30/24 12:41:02

Batch Date: 10/26/24 15:31:27

Dilution: 1

Reagent: 030420.09

Consumables: 430274, 306143

Pipette: DA-309 25 uL Syringe 3502B

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation, Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 56-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL 0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation # PLA-
Testing 97164

Signature
10/31/24

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
http://www.clearwaterbiotech.com
Lic# 100737 L21-505



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.

Stay Cool

2800 Treble Lane #834
Austin, TX 78704
steven@drinkstaycool.com
(512) 971-1316
Lic. #

Sample: 2410CWB0301.0880

Strain: N/A

Batch#: ; Batch Size: g

Sample Received: 10/25/2024; Report Created: 11/01/2024

Sampling: ; Environment:

Stay Cool Beverages - Watermelon Splash - Delta-9

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



Kaycha Labs
2410CWB0301.0880
Matrix: Edible
Type: Beverage



Certificate of Analysis

PASSED

Clearwater Biotech, LLC

1327 Miller Road
Greenville, SC 29607, US
Telephone: (713) 256-5419
Email: info@clearwaterbiotech.com

Sample: DA41029012-005
Harvest/Lot ID: 10/14/2026
Batch#: 10/29/24
Sample Size Received: 11 units
Total Amount: 1 units
Completed: 10/31/24 Expires: 10/31/25
Sample Method: V-P

Page 4 of 4

Microbial						Mycotoxins					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OGRAOXIN A	0.00	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.00	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000						
Analyzed by: 4612, 4520, 585, 1440 Weight: 1.13g Extraction date: 10/29/24 12:25:41 Extracted by: 4044, 4612 Analysis Method: SOP T.40.056C, SOP T.40.058 FL, SOP T.40.209 FL Analytical Batch: 104079533MNC Instrument Used: PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (55°C) DA-020, Fisher Scientific Isotemp Heat Block (95°C) DA-049, Fisher Scientific Isotemp Heat Block (55°C) DA-021 Analyzed Date: 10/30/24 10:47:34 Dilution: 10 Reagent: 092424.38; 092524.11; 100824.R30; 051624.05 Consumables: 7375003001; 7376003050 Pipette: N/A						Analyzed by: 4612, 4044, 3390, 585, 1440 Weight: 1.13g Extraction date: N/A Extracted by: 4044, 4612 Analysis Method: SOP T.40.208 (Gainesville), SOP T.40.209 FL Analytical Batch: 104079533TYM Instrument Used: Incubator (25°C) DA-328 (calibrated with DA-302) Analyzed Date: 10/31/24 16:48:02 Dilution: 10 Reagent: 092424.38; 092524.11; 082024.R18 Consumables: N/A Pipette: N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64E820-39.					
Heavy Metals						PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	5						
ARSENIC	0.02	ppm	ND	PASS	1.5						
CADMIUM	0.02	ppm	ND	PASS	0.5						
MERCURY	0.02	ppm	ND	PASS	1						
LEAD	0.02	ppm	ND	PASS	0.5						
Analyzed by: 4022, 585, 1440 Weight: 0.2092g Extraction date: 10/29/24 13:29:57 Extracted by: 4056 Analysis Method: SOP T.30.082 FL, SOP T.40.082 FL Analytical Batch: DA079530HEA Instrument Used: DA-ICPMS-004 Analyzed Date: 10/30/24 10:03:10 Dilution: 50 Reagent: 101424.R01; 102824.R20; 102524.R03; 102824.R18; 102824.R19; 061724.01; 102524.R15 Consumables: 179436; 20240202; 210508058 Pipette: DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64E820-39.											

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation, Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64E820-39 and F.S. Rule 56-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL 0002
ISO 17025 Accreditation # 0501EC
17025:2017 Accreditation # PLA-
Testing 97164

Signature
10/31/24

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
http://www.clearwaterbiotech.com
Lic# 100737 L21-505



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.