New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

Stay Cool Beverages - Raspberry Zest - Delta-9

Sample ID: 2606NBL1112.3077
Matrix: Ingestible
Type: Beverage
Sample Size:
Date Collected:

Received: 06/22/2026
Completed: 07/13/2026
Expires: 07/13/2027
External Lot ID: 6/16/28
Batch#: 6027

Client
Stay Cool
Lic. #
2800 Treble Lane #834 Austin, TX 78704
(512) 971-1316 steven@drinkstaycool.com

Summary

Test	Date Tested	Result
Cannabinoids	06/24/2026	Complete
Residual Solvents	06/27/2026	Complete
Microbials	06/23/2026	Complete
Mycotoxins	07/08/2026	Complete
Pesticides	07/07/2026	Complete
Heavy Metals	06/30/2026	Complete
Foreign Matter	06/24/2026	Not Detected

Cannabinoids

Complete

51.639 mg/unit	0.0143%	ND	51.639 mg/unit
Total Δ9-THC	Δ9-THC	Total CBD	Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/mL	%
(6aR,9R)-d10-THC	0.9027	1.354	ND	ND	ND
9R-HHC	0.9027	1.354	ND	ND	ND
(6aR,9S)-d10-THC	0.9027	1.354	ND	ND	ND
9S-HHC	0.9027	1.354	ND	ND	ND
CBC	0.9027	1.354	ND	ND	ND
CBCa	0.9027	1.354	ND	ND	ND
CBD	0.9027	1.354	ND	ND	ND
CBDa	0.9027	1.354	ND	ND	ND
CBDV	0.9027	1.354	ND	ND	ND
CBDVa	0.9027	1.354	ND	ND	ND
CBG	0.9027	1.354	ND	ND	ND
CBGa	0.9027	1.354	ND	ND	ND
CBN	0.9027	1.354	ND	ND	ND
CBNa	0.9027	1.354	ND	ND	ND
Δ8-THC	0.9027	1.354	ND	ND	ND
Δ9-THC	0.9027	1.354	51.639	0.14587	0.014
THCa	0.9027	1.354	ND	ND	ND
THCp	0.9027	1.354	ND	ND	ND
THCV	0.9027	1.354	ND	ND	ND
THCVa	0.9027	1.354	ND	ND	ND
Total THC			**51.639**	**0.14587**	**0.014**
Total CBD			**ND**	**ND**	**ND**
Total			**51.639**	**0.14587**	**0.014**

Date Tested: 06/24/2026
Density: 1 mL = 1.02 g, Unit Mass: 361.080 g, 1 Unit = 12 fl oz
Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.
Total Δ9-THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; The decision rule is employed; the uncertainty measurement is not included in the reported result. The values for Measurement Uncertainty are available upon request.

Ashley Phillips
Laboratory Director
07/13/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.

Stay Cool Beverages - Raspberry Zest - Delta-9

Sample ID: 2606NBL1112.3077
Matrix: Ingestible
Type: Beverage
Sample Size:
Date Collected:

Received: 06/22/2026
Completed: 07/13/2026
Expires: 07/13/2027
External Lot ID: 6/16/28
Batch#: 6027

Client
Stay Cool
Lic. #
2800 Treble Lane #834 Austin, TX 78704
(512) 971-1316 steven@drinkstaycool.com

Pesticides

Complete

Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Abamectin	0.102	0.029		ND	Tested
Acephate	0.098	0.029		ND	Tested
Acequinocyl	0.098	0.029		ND	Tested
Acetamiprid	0.098	0.029		ND	Tested
Aldicarb	0.098	0.029		ND	Tested
Azoxystrobin	0.098	0.029		ND	Tested
Bifenazate	0.098	0.029		ND	Tested
Bifenthrin	0.098	0.029		ND	Tested
Boscalid	0.098	0.029		ND	Tested
Captan	0.391	0.117		ND	Tested
Carbaryl	0.098	0.029		ND	Tested
Carbofuran	0.098	0.029		ND	Tested
Chlorantraniliprole	0.098	0.029		ND	Tested
Chlordane	0.078	0.023		ND	Tested
Chlorfenapyr	0.078	0.023		ND	Tested
Chlormequat	0.098	0.029		ND	Tested
Chlorpyrifos	0.098	0.029		ND	Tested
Clofentezine	0.098	0.029		ND	Tested
Coumaphos	0.098	0.029		ND	Tested
Cyfluthrin	0.078	0.023		ND	Tested
Cypermethrin	0.078	0.023		ND	Tested
Daminozide	0.098	0.029		ND	Tested
Diazinon	0.098	0.029		ND	Tested
Dichlorvos	0.049	0.016		ND	Tested
Dimethoate	0.098	0.029		ND	Tested
Dimethomorph	0.094	0.029		ND	Tested
Ethoprophos	0.098	0.029		ND	Tested
Etofenprox	0.098	0.029		ND	Tested
Etoxazole	0.098	0.029		ND	Tested
Fenhexamid	0.098	0.029		ND	Tested
Fenoxycarb	0.098	0.029		ND	Tested
Fenpyroximate	0.098	0.029		ND	Tested
Fipronil	0.098	0.029		ND	Tested
Flonicamid	0.098	0.029		ND	Tested

Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Fludioxonil	0.098	0.029		ND	Tested
Hexythiazox	0.098	0.029		ND	Tested
Imazalil	0.098	0.029		ND	Tested
Imidacloprid	0.098	0.029		ND	Tested
Kresoxim Methyl	0.098	0.029		ND	Tested
Malathion	0.098	0.029		ND	Tested
Metalaxyl	0.098	0.029		ND	Tested
Methiocarb	0.098	0.029		ND	Tested
Methomyl	0.098	0.029		ND	Tested
Mevinphos	0.098	0.029		ND	Tested
Myclobutanil	0.098	0.029		ND	Tested
Naled	0.245	0.074		ND	Tested
Oxamyl	0.098	0.029		ND	Tested
Paclobutrazol	0.098	0.029		ND	Tested
Methyl Parathion	0.078	0.023		ND	Tested
Pentachloronitrobenzene	0.078	0.023		ND	Tested
Permethrins	0.098	0.029		ND	Tested
Phosmet	0.098	0.029		ND	Tested
Piperonyl Butoxide	0.098	0.029		ND	Tested
Prallethrin	0.098	0.029		ND	Tested
Propiconazole	0.098	0.029		ND	Tested
Propoxur	0.098	0.029		ND	Tested
Pyrethrins	0.489	0.147		ND	Tested
Pyridaben	0.098	0.029		ND	Tested
Spinetoram	0.098	0.029		ND	Tested
Spinosad	0.100	0.029		ND	Tested
Spiromesifen	0.098	0.029		ND	Tested
Spirotetramat	0.098	0.029		ND	Tested
Spiroxamine	0.098	0.029		ND	Tested
Tebuconazole	0.098	0.029		ND	Tested
Thiacloprid	0.098	0.029		ND	Tested
Thiamethoxam	0.098	0.029		ND	Tested
Trifloxystrobin	0.098	0.029		ND	Tested

Date Tested: 07/07/2026
Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. Testing Method: GC/MS/MS, CON-P-12000; Validation Date: 05/2025.

Ashley Phillips
Laboratory Director
07/13/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.

Stay Cool Beverages - Raspberry Zest - Delta-9

Sample ID: 2606NBL1112.3077
Matrix: Ingestible
Type: Beverage
Sample Size:
Date Collected:

Received: 06/22/2026
Completed: 07/13/2026
Expires: 07/13/2027
External Lot ID: 6/16/28
Batch#: 6027

Client
Stay Cool
Lic. #
2800 Treble Lane #834 Austin, TX 78704
(512) 971-1316 steven@drinkstaycool.com

Microbials

Complete

Analyte	LOD	Result	Status
	CFU/g		
Shiga Toxin-producing E. Coli	1.000	ND	Tested
Salmonella	1.000	ND	Tested
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	1.000	ND	Tested

Testing Method: qPCR, CON-P-6000; Validation Date: 01/2021.

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	10	ND	Tested
Enterobacteriaceae (BTGN)	10	ND	Tested
Coliforms	10	ND	Tested
Yeast & Mold	10	ND	Tested
E. Coli	10	ND	Tested

Testing Method: Petrifilms, CON-P-9000; Validation Date: 12/2021.

Date Tested: 06/23/2026
CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected

Mycotoxins

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
B1	1.6	4.9		ND	Tested
B2	1.6	4.9		ND	Tested
G1	1.6	4.9		ND	Tested
G2	1.6	4.9		ND	Tested
Total Aflatoxins	1.6	4.9		ND	Tested
Ochratoxin A	5.9	19.6		ND	Tested

Date Tested: 07/08/2026
Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020.

Heavy Metals

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.050	0.099		ND	Tested
Cadmium	0.050	0.099		ND	Tested
Lead	0.050	0.099		ND	Tested
Mercury	0.050	0.099		ND	Tested
Palladium	0.050	0.248		ND	Tested
Selenium	0.050	0.099		ND	Tested

Date Tested: 06/30/2026
Testing Method: ICP/MS, CON-P-7000; Validation Date: 09/2020.

Ashley Phillips
Laboratory Director
07/13/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.

Stay Cool Beverages - Raspberry Zest - Delta-9

Sample ID: 2606NBL1112.3077
Matrix: Ingestible
Type: Beverage
Sample Size:
Date Collected:

Received: 06/22/2026
Completed: 07/13/2026
Expires: 07/13/2027
External Lot ID: 6/16/28
Batch#: 6027

Client
Stay Cool
Lic. #
2800 Treble Lane #834 Austin, TX 78704
(512) 971-1316 steven@drinkstaycool.com

Residual Solvents

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Acetone	69.444	231.481		ND	Tested
Benzene	0.278	0.926		ND	Tested
n-Butane	63.889	212.963		ND	Tested
Isobutane	63.889	212.963		ND	Tested
Ethanol	69.444	231.481		<LOQ	Tested
Ethyl Acetate	69.444	231.481		ND	Tested
Heptane	69.444	231.481		ND	Tested
n-Hexane	1.389	4.630		ND	Tested
2,2-Dimethylbutane	1.389	4.630		ND	Tested
3-Methylpentane	1.389	4.630		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	2.778	9.259		ND	Tested
Methanol	27.778	92.593		ND	Tested
Isopentane	63.889	212.963		ND	Tested
n-Pentane	27.778	92.593		ND	Tested
Neopentane	63.889	212.963		ND	Tested
2-Propanol	69.444	231.481		ND	Tested
Propane	277.778	925.926		ND	Tested
Toluene	0.139	0.463		ND	Tested
Ethylbenzene	0.139	0.463		ND	Tested
m/p-Xylene	0.139	0.463		ND	Tested
o-Xylene	0.139	0.463		ND	Tested
1,1-Dichloroethene	0.556	1.852		ND	Tested
1,2-Dichloroethane	0.556	1.852		ND	Tested
Ethylene Oxide	1.389	4.630		ND	Tested
Acetonitrile	5.556	18.519		ND	Tested
Chloroform	0.556	1.852		ND	Tested
Ethyl Ether	69.444	231.481		ND	Tested
Dichloromethane	27.778	92.593		ND	Tested
Trichloroethene	5.556	18.519		ND	Tested
2,3-Butanedione	27.778	92.593		ND	Tested

Date Tested: 06/27/2026
Testing Method: HS-GC/MS, CON-P-8000; Validation Date: 09/2020.

Ashley Phillips
Laboratory Director
07/13/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.