

Stay Cool Beverages - Pineapple Wave - Delta-9

Sample ID: 2605NBL0894.2472

Received: 05/22/2026

Client

Matrix: Ingestible

Completed: 05/26/2026

Stay Cool

Type: Beverage

Expires: 05/26/2027

Lic. #

Sample Size:

External Lot ID: 5/4/2028

2800 Treble Lane #834 Austin, TX 78704

Date Collected:

Batch#: 6024

(512) 971-1316 steven@drinkstaycool.com



Summary

Test	Date Tested	Result
Cannabinoids	05/23/2026	Complete
Foreign Matter	05/21/2026	Not Completed

Cannabinoids

Complete

25.104 mg/unit	0.0068%	ND	25.104 mg/unit
Total THC	$\Delta 9$ -THC	Total CBD	Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/mL	%
(6aR,9R)-d10-THC	0.9177	1.377	ND	ND	ND
9R-HHC	0.9177	1.377	ND	ND	ND
(6aR,9S)-d10-THC	0.9177	1.377	ND	ND	ND
9S-HHC	0.9177	1.377	ND	ND	ND
CBC	0.9177	1.377	ND	ND	ND
CBCa	0.9177	1.377	ND	ND	ND
CBD	0.9177	1.377	ND	ND	ND
CBDa	0.9177	1.377	ND	ND	ND
CBDV	0.9177	1.377	ND	ND	ND
CBDVa	0.9177	1.377	ND	ND	ND
CBG	0.9177	1.377	ND	ND	ND
CBGa	0.9177	1.377	ND	ND	ND
CBN	0.9177	1.377	ND	ND	ND
CBNa	0.9177	1.377	ND	ND	ND
$\Delta 8$ -THC	0.9177	1.377	ND	ND	ND
$\Delta 9$ -THC	0.9177	1.377	25.104	0.07092	0.007
THCa	0.9177	1.377	ND	ND	ND
THCp	0.9177	1.377	ND	ND	ND
THCV	0.9177	1.377	ND	ND	ND
THCVa	0.9177	1.377	ND	ND	ND
Total THC			25.104	0.07092	0.007
Total CBD			ND	ND	ND
Total			25.104	0.07092	0.007

Date Tested: 05/23/2026

Density: 1 mL = 1.037 g, Unit Mass: 367.098 g, 1 Unit = 12 fl oz

Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.

Total THC = THCa * 0.877 + $\Delta 9$ -THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; Total THC Measurement of Uncertainty: $\pm 0.040\%$, Total CBD Measurement of Uncertainty: $\pm 2.000\%$.



Ashley Phillips

Ashley Phillips
Laboratory Director
05/26/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.