

Stay Cool

2800 Treble Lane #834
Austin, TX 78704
steven@drinkstaycool.com
(512) 971-1316
Lic. #

Sample: 2501CWB0028.0092


Strain: N/A
Batch#: FG-6003-02; Batch Size: g
Sample Received: 02/05/2025; Report Created: 02/10/2025

Sampling: ; Environment:

Stay Cool Beverages - Watermelon Splash - Delta-9 ^{Notes:}

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:



	0.007%	ND	NR
	Δ9 THC	Total CBD	
	25.11 mg/unit	25.11 mg/unit	
	Total THC	Total Cannabinoids	Moisture

Cannabinoids


Analyte	LOQ mg/unit	Result mg/unit	Result mg/mL
THCa	3.40	ND	ND
Δ9-THC	3.40	25.11	0.07
Δ8-THC	3.40	ND	ND
THCV	3.40	ND	ND
CBDa	3.40	ND	ND
CBD	3.40	ND	ND
CBDVa	3.40	ND	ND
CBDV	3.40	ND	ND
CBN	3.40	<LOQ	<LOQ
CBGa	3.40	ND	ND
CBG	3.40	ND	ND
CBC	3.40	<LOQ	<LOQ
Total		25.11	0.07

1 mL = 0.9877g.

Total THC = THCa * 0.877 + d9-THC; Total CBD = CBDa * 0.877 + CBD; Total Cannabinoids = Sum of quantifiable cannabinoids
LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. The estimated level of uncertainty for these results is 0.05%. Analysis Method: SOP017, SOP030

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
<http://www.clearwaterbiotech.com>
Lic# 100737 L21-505




Lindsey Contella
Certifying Scientist

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.

Stay Cool

2800 Treble Lane #834
Austin, TX 78704
steven@drinkstaycool.com
(512) 971-1316
Lic. #

Sample: 2501CWB0028.0092

Strain: N/A
Batch#: FG-6003-02; Batch Size: g
Sample Received: 02/05/2025; Report Created: 02/10/2025

Sampling: ; Environment:

Stay Cool Beverages - Watermelon Splash - Delta-9

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:



kaycha
LABS
4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Classification: HEMP/CBD FLORIDA - FOOD - HEMP RULES FOR ALL PRODUCTS OTHER THAN TOPICAL, FLOWER, AND SUPPOSITORIES.
Type: Beverage

Kaycha Labs
2501CWB0028.0092
Matrix: Edible



Certificate of Analysis

COMPLIANCE FOR RETAIL
Laboratory Sample ID: DA50206012-009



Production Method: Other - Not Listed
Harvest/Lot ID: -
Batch#: FG-6003-02
Harvest Date: 02/05/25
Sample Size Received: 11 units
Total Amount: 1 units
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Ordered: 02/05/25
Sampled: 02/06/25
Completed: 02/10/25
Sampling Method: KP

Feb 10, 2025 | Clearwater Biotech, LLC
1327 Miller Road
Greenville, SC, 29607, US



PASSED

Pages 1 of 3

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
NOT TESTED



Water Activity
NOT TESTED



Moisture
NOT TESTED

MISC.



Terpenes
NOT TESTED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation, Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64E50-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director
State License # CMTL 0002
SQ 17025 Accreditation # ISO/IEC
17025:2017 Accreditation # IALA
Testing 97164

[Signature]
Signature
02/10/25

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
<http://www.clearwaterbiotech.com>
Lic# 100737 L21-505



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.

Stay Cool

2800 Treble Lane #834
Austin, TX 78704
stevan@drinkstaycool.com
(512) 971-1316
Lic. #

Sample: 2501CW0028.0092

Strain: N/A
Batch#: FG-6003-02; Batch Size: g
Sample Received: 02/05/2025; Report Created: 02/10/2025

Sampling: ; Environment:

Stay Cool Beverages - Watermelon Splash - Delta-9

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

2501CW0028.0092
Matrix: Edible
Type: Beverage



Certificate of Analysis

PASSED

Clearwater Biotech, LLC

1327 Miller Road
Greenville, SC, 29607, US
Telephone: (873) 250-5412
Email: info@clearwaterbiotech.com

Sample: DA50206012-009

Harvest Lot ID:

Batch #: FG-6003-02

Sampled: 02/06/25

Ordered: 02/06/25

Sample Size Received: 11 units

Total Amount: 1 units

Completed: 02/10/25 Expires: 02/10/25

Sample Method: 19F

Page 2 of 3

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OKAMYS	0.010	ppm	0.5	PASS	ND
TOTAL DITHIONPHOS	0.010	ppm	3	PASS	ND	PACLOBUTAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PHENYLEV BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAN	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROFENOFUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ACEQUINOLYL	0.010	ppm	2	PASS	ND	SPINDESUFEN	0.010	ppm	3	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPROTRINAT	0.010	ppm	3	PASS	ND
ACICARB	0.010	ppm	0.1	PASS	ND	SPIROKAMINE	0.010	ppm	0.1	PASS	ND
ADOXYSTROBIN	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	1	PASS	ND
BIFENXATE	0.010	ppm	3	PASS	ND	THIAMETHOXAM	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	TRIFLUVETROBIN	0.010	ppm	1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	TRIFLUVETROBIN	0.010	ppm	3	PASS	ND
CABARILY	0.010	ppm	0.5	PASS	ND	PENTACHLOROBENZENE (PCNB) *	0.010	ppm	0.2	PASS	ND
CARBOPURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTHANILPROLE	0.010	ppm	1	PASS	ND	CARFEN *	0.010	ppm	3	PASS	ND
CHLOROMQUAT CHLORIDE	0.010	ppm	3	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTZINE	0.010	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.050	ppm	1	PASS	ND
COUMAFOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	3	PASS	ND						
DICHLORVOX	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHIONPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOKAZOLE	0.010	ppm	1.5	PASS	ND						
FENITROTHIOPYR	0.010	ppm	3	PASS	ND						
FENPROXIPROX	0.010	ppm	0.1	PASS	ND						
FENPROXIPROX	0.010	ppm	2	PASS	ND						
FENPROXIPROX	0.010	ppm	0.1	PASS	ND						
FENPROXIPROX	0.010	ppm	2	PASS	ND						
FENPROXIPROX	0.010	ppm	0.1	PASS	ND						
FENPROXIPROX	0.010	ppm	2	PASS	ND						
FENPROXIPROX	0.010	ppm	0.1	PASS	ND						
FENPROXIPROX	0.010	ppm	2	PASS	ND						
FENPROXIPROX	0.010	ppm	0.1	PASS	ND						
FENPROXIPROX	0.010	ppm	2	PASS	ND						
FENPROXIPROX	0.010	ppm	0.1	PASS	ND						
FENPROXIPROX	0.010	ppm	2	PASS	ND						
FENPROXIPROX	0.010	ppm	0.1	PASS	ND						
FENPROXIPROX	0.010	ppm	2	PASS	ND						
FENPROXIPROX	0.010	ppm	0.1	PASS	ND						
FENPROXIPROX	0.010	ppm	2	PASS	ND						
FENPROXIPROX	0.010	ppm	0.1	PASS	ND						
FENPROXIPROX	0.010	ppm	2	PASS	ND						
FENPROXIPROX	0.010	ppm	0.1	PASS	ND						
FENPROXIPROX	0.010	ppm	2	PASS	ND						
FENPROXIPROX	0.010	ppm	0.1	PASS	ND						
FENPROXIPROX	0.010	ppm	2	PASS	ND						
FENPROXIPROX	0.010	ppm	0.1	PASS	ND						
FENPROXIPROX	0.010	ppm	2	PASS	ND						
FENPROXIPROX	0.010	ppm	0.1	PASS	ND						
FENPROXIPROX	0.010	ppm	2	PASS	ND						
FENPROXIPROX	0.010	ppm	0.1	PASS	ND						
FENPROXIPROX	0.010	ppm	2	PASS	ND						
FENPROXIPROX	0.010	ppm	0.1	PASS	ND						
FENPROXIPROX	0.010	ppm	2	PASS	ND						
FENPROXIPROX	0.010	ppm	0.1	PASS	ND						
FENPROXIPROX	0.010	ppm	2	PASS	ND						
FENPROXIPROX	0.010	ppm	0.1	PASS	ND						
FENPROXIPROX	0.010	ppm	2	PASS	ND						
FENPROXIPROX	0.010	ppm	0.1	PASS	ND						
FENPROXIPROX	0.010	ppm	2	PASS	ND						
FENPROXIPROX	0.010	ppm	0.1	PASS	ND						
FENPROXIPROX	0.010	ppm	2	PASS	ND						
FENPROXIPROX	0.010	ppm	0.1	PASS	ND						
FENPROXIPROX	0.010	ppm	2	PASS	ND						
FENPROXIPROX	0.010	ppm	0.1	PASS	ND						
FENPROXIPROX	0.010	ppm	2	PASS	ND						
FENPROXIPROX	0.010	ppm	0.1	PASS	ND						
FENPROXIPROX	0.010	ppm	2	PASS	ND						
FENPROXIPROX	0.010	ppm	0.1	PASS	ND						
FENPROXIPROX	0.010	ppm	2	PASS	ND						
FENPROXIPROX	0.010	ppm	0.1	PASS	ND						
FENPROXIPROX	0.010	ppm	2	PASS	ND						
FENPROXIPROX	0.010	ppm	0.1	PASS	ND						
FENPROXIPROX	0.010	ppm	2	PASS	ND						
FENPROXIPROX	0.010	ppm	0.1	PASS	ND						
FENPROXIPROX	0.010	ppm	2	PASS	ND						
FENPROXIPROX	0.010	ppm	0.1	PASS	ND						
FENPROXIPROX	0.010	ppm	2	PASS	ND						
FENPROXIPROX	0.010	ppm	0.1	PASS	ND						
FENPROXIPROX	0.010	ppm	2	PASS	ND						
FENPROXIPROX	0.010	ppm	0.1	PASS	ND						
FENPROXIPROX	0.010	ppm	2	PASS	ND						
FENPROXIPROX	0.010	ppm	0.1	PASS	ND						
FENPROXIPROX	0.010	ppm	2	PASS	ND						
FENPROXIPROX	0.010	ppm	0.1	PASS	ND						
FENPROXIPROX	0.010	ppm	2	PASS	ND						
FENPROXIPROX	0.010	ppm	0.1	PASS	ND						
FENPROXIPROX	0.010	ppm	2	PASS	ND						
FENPROXIPROX	0.010	ppm	0.1	PASS	ND						
FENPROXIPROX	0.010	ppm	2	PASS	ND						
FENPROXIPROX	0.010	ppm	0.1	PASS	ND						
FENPROXIPROX	0.010	ppm	2	PASS	ND						
FENPROXIPROX	0.010	ppm	0.1	PASS	ND						
FENPROXIPROX	0.010	ppm	2	PASS	ND						
FENPROXIPROX	0.010	ppm	0.1	PASS	ND						
FENPROXIPROX	0.010	ppm	2	PASS	ND						
FENPROXIPROX	0.010	ppm	0.1	PASS	ND						
FENPROXIPROX	0.010	ppm	2	PASS	ND						
FENPROXIPROX	0.010	ppm	0.1	PASS	ND						
FENPROXIPROX	0.010	ppm	2	PASS	ND						
FENPROXIPROX	0.010	ppm	0.1	PASS	ND						
FENPROXIPROX	0.010	ppm	2	PASS	ND						
FENPROXIPROX	0.010	ppm	0.1	PASS	ND						
FENPROXIPROX	0.010	ppm	2	PASS	ND						
FENPROXIPROX	0.010	ppm	0.1	PASS	ND						
FENPROXIPROX	0.010	ppm	2	PASS	ND						
FENPROXIPROX	0.010	ppm	0.1	PASS	ND						
FENPROXIP											

Stay Cool

2800 Treble Lane #834
Austin, TX 78704
steven@drinkstaycool.com
(512) 971-1316
Lic. #

Sample: 2501CWB0028.0092

Strain: N/A
Batch#: FG-6003-02; Batch Size: g
Sample Received: 02/05/2025; Report Created: 02/10/2025

Sampling: ; Environment:

Stay Cool Beverages - Watermelon Splash - Delta-9

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



4131 SW 47th Avenue Suite 1408
Davie, FL 33314, US
(954) 368-7664

Kaycha Labs

2501CWB0028.0092
Matrix: Edible
Type: Beverage



Certificate of Analysis

PASSED

Clearwater Biotech, LLC

1327 Miller Road
Greenville, SC 29607, US
Telephone: (873) 250-5413
Email: sf@clearwaterbiotech.com

Sample: DA5026012-009

Harvest Lot ID:

Batch: F10-00132
Sampled: 02/06/25
Ordered: 02/06/25

Sample Size Received: 11 units
Total Amount: 1 units
Completed: 02/02/25 Expires: 02/02/26
Sample Method: 19F

Page 3 of 3

	Microbial	PASSED		Mycotoxins	PASSED
--	------------------	---------------	--	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						

Analysed by: 4044, 4520, 3379, 1440 Weight: 1.05g Extraction date: 02/07/25 10:29:04 Extracted by: 4520,4531
 Analysis Method: SOP T.40.056C, SOP T.40.058 FL, SOP T.40.209 FL
 Analytical Batch: DA083054MFC
 Instrument Used: PathogenDx Scanner DA-111, Applied Biosystems
 2720 Thermocycler DA-G10 Fisher Scientific Isotemp Heat Block (55°C) DA-049, DA-402 Thermo Scientific Heat Block (55°C)
 Dilution: 1:10
 Reagent: 012525.05; 012525.07; 011525.R47; 080724.12
 Consumables: 7578003087
 Pipette: N/A

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURY	0.020	ppm	ND	PASS	3
LEAD	0.020	ppm	ND	PASS	0.5

Analysed by: 4044, 4777, 3379, 1440 Weight: 1.05g Extraction date: 02/07/25 10:29:04 Extracted by: 4520,4531
 Analysis Method: SOP T.40.209 FL
 Analytical Batch: DA083056TYM
 Instrument Used: Incubator (25°C) DA-328 (calibrated with DA-302)
 Dilution: 1:10
 Reagent: 012525.05; 012525.07; 013025.R13; 110724.R13
 Consumables: N/A
 Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64E820-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation, Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64E820-39 and F.S. Rule 56-K. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL 0002
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PLA-17025-2017
Testing 97164

Signature
02/10/25

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
http://www.clearwaterbiotech.com
Lic# 100737 L21-505



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.