



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

Regulatory Compliance Testing - Tennessee

1 of 4

Stay Cool Beverages - Pineapple Wave - Delta-9

Sample ID: 2610NBL1784.4869

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 10/07/2026

Completed: 10/20/2026

Expires: 10/20/2027

External Lot ID:

Batch#: 0923

Client

Stay Cool

Lic. #

2800 Treble Lane #834 Austin, TX 78704

(512) 971-1316 steven@drinkstaycool.com



Summary

Test	Date Tested	Result
Cannabinoids	10/07/2026	Pass
Residual Solvents	10/16/2026	Pass
Microbials	10/09/2026	Pass
Mycotoxins	10/20/2026	Pass
Pesticides	10/20/2026	Pass
Heavy Metals	10/15/2026	Pass

Cannabinoids

Pass

26.321
mg/container
Total Δ^9 -THC

0.006%
Compliance Result

ND
Total CBD

26.321
mg/container
Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result	MU
	mg/container	mg/container	mg/container	mg/mL	%	%
(6aR,9R)-d10-THC	0.9089	1.363	ND	ND	ND	± 0.0000
9R-HHC	0.9089	1.363	ND	ND	ND	± 0.0000
(6aR,9S)-d10-THC	0.9089	1.363	ND	ND	ND	± 0.0000
9S-HHC	0.9089	1.363	ND	ND	ND	± 0.0000
CBC	0.9089	1.363	ND	ND	ND	± 0.0000
CBCa	0.9089	1.363	ND	ND	ND	± 0.0000
CBD	0.9089	1.363	ND	ND	ND	± 0.0000
CBDa	0.9089	1.363	ND	ND	ND	± 0.0000
CBDV	0.9089	1.363	ND	ND	ND	± 0.0000
CBDVa	0.9089	1.363	ND	ND	ND	± 0.0000
CBG	0.9089	1.363	ND	ND	ND	± 0.0000
CBGa	0.9089	1.363	ND	ND	ND	± 0.0000
CBN	0.9089	1.363	ND	ND	ND	± 0.0000
CBNa	0.9089	1.363	ND	ND	ND	± 0.0000
Δ^8 -THC	0.9089	1.363	ND	ND	ND	± 0.0000
Δ^9 -THC	0.9089	1.363	26.321	0.07435	0.007	± 0.0006
THCa	0.9089	1.363	ND	ND	ND	± 0.0000
THCp	0.9089	1.363	ND	ND	ND	± 0.0000
THCV	0.9089	1.363	ND	ND	ND	± 0.0000
THCVa	0.9089	1.363	ND	ND	ND	± 0.0000
Total THC			26.321	0.07435	0.007	
Total CBD			ND	ND	ND	
Total			26.321	0.07435	0.007	

Date Tested: 10/07/2026

Density: 1 mL = 1.027 g; Container Mass: 363.558 g; 5 servings per container; 26.3 mg THC per container

Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.

Total Δ^9 -THC = THCa * 0.877 + Δ^9 -THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; The decision rule is employed; the uncertainty measurement is included in the reported result.



Ashley N Phillips

Ashley Phillips
Laboratory Director
10/20/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval ($k=2$). Filth and Foreign Testing Method - CON-P-11000.



Stay Cool Beverages - Pineapple Wave - Delta-9

Sample ID: 2610NBL1784.4869

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 10/07/2026

Completed: 10/20/2026

Expires: 10/20/2027

External Lot ID:

Batch#: 0923

Client

Stay Cool

Lic. #

2800 Treble Lane #834 Austin, TX 78704

(512) 971-1316 steven@drinkstaycool.com

Pesticides

Pass

Analyte	LOQ	LOD	Limit	Result	MU	Status	Analyte	LOQ	LOD	Limit	Result	MU	Status
	PPM	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	PPM	
Abamectin	0.099	0.029	0.500	ND	±0.000	Pass	Hexythiazox	0.096	0.029	1.000	ND	±0.000	Pass
Acephate	0.096	0.029	0.400	ND	±0.000	Pass	Imazalil	0.096	0.029	0.200	ND	±0.000	Pass
Acequinocyl	0.096	0.029	2.000	ND	±0.000	Pass	Imidacloprid	0.096	0.029	0.400	ND	±0.000	Pass
Acetamiprid	0.096	0.029	0.200	ND	±0.000	Pass	Kresoxim	0.096	0.029	0.400	ND	±0.000	Pass
Aldicarb	0.096	0.029	0.400	ND	±0.000	Pass	Methyl						
Azoxystrobin	0.096	0.029	0.200	ND	±0.000	Pass	Malathion	0.096	0.029	0.200	ND	±0.000	Pass
Bifenazate	0.096	0.029	0.200	ND	±0.000	Pass	Metalaxyl	0.096	0.029	0.200	ND	±0.000	Pass
Bifenthrin	0.096	0.029	0.200	ND	±0.000	Pass	Methiocarb	0.096	0.029	0.200	ND	±0.000	Pass
Boscalid	0.096	0.029	0.200	ND	±0.000	Pass	Methomyl	0.096	0.029	0.400	ND	±0.000	Pass
Carbaryl	0.096	0.029	0.400	ND	±0.000	Pass	Myclobutanil	0.096	0.029	0.200	ND	±0.000	Pass
Carbofuran	0.096	0.029	0.200	ND	±0.000	Pass	Naled	0.239	0.073	0.500	ND	±0.000	Pass
Chlorantraniliprole	0.096	0.029	0.200	ND	±0.000	Pass	Oxamyl	0.096	0.029	1.000	ND	±0.000	Pass
Chlorfenapyr	0.076	0.023	1.000	ND	±0.000	Pass	Paclobutrazol	0.096	0.029	0.400	ND	±0.000	Pass
Chlormequat	0.096	0.029	0.200	ND	±0.000	Pass	Methyl						
Chlorpyrifos	0.096	0.029	0.200	ND	±0.000	Pass	Parathion	0.076	0.023	0.200	ND	±0.000	Pass
Clofentezine	0.096	0.029	0.200	ND	±0.000	Pass	Permethrins	0.096	0.029	0.200	ND	±0.000	Pass
Cyfluthrin	0.076	0.023	1.000	ND	±0.000	Pass	Phosmet	0.096	0.029	0.200	ND	±0.000	Pass
Cypermethrin	0.076	0.023	1.000	ND	±0.000	Pass	Piperonyl						
Daminozide	0.096	0.029	1.000	ND	±0.000	Pass	Butoxide	0.096	0.029	2.000	ND	±0.000	Pass
Diazinon	0.096	0.029	0.200	ND	±0.000	Pass	Prallethrin	0.096	0.029	0.200	ND	±0.000	Pass
Dichlorvos	0.048	0.015	0.100	ND	±0.000	Pass	Propiconazole	0.096	0.029	0.400	ND	±0.000	Pass
Dimethoate	0.096	0.029	0.200	ND	±0.000	Pass	Propoxur	0.096	0.029	0.200	ND	±0.000	Pass
Ethoprophos	0.096	0.029	0.200	ND	±0.000	Pass	Pyrethrins	0.478	0.143	1.000	ND	±0.000	Pass
Etofenprox	0.096	0.029	0.400	ND	±0.000	Pass	Pyridaben	0.096	0.029	0.200	ND	±0.000	Pass
Etoxazole	0.096	0.029	0.200	ND	±0.000	Pass	Spinosad	0.098	0.029	0.200	ND	±0.000	Pass
Fenoxycarb	0.096	0.029	0.400	ND	±0.000	Pass	Spiromesifen	0.096	0.029	0.200	ND	±0.000	Pass
Fenpyroximate	0.096	0.029	0.400	ND	±0.000	Pass	Spirotetramat	0.096	0.029	0.200	ND	±0.000	Pass
Fipronil	0.096	0.029	0.400	ND	±0.000	Pass	Spiroxamine	0.096	0.029	0.400	ND	±0.000	Pass
Flonicamid	0.096	0.029	1.000	ND	±0.000	Pass	Tebuconazole	0.096	0.029	0.400	ND	±0.000	Pass
Fludioxonil	0.096	0.029	0.400	ND	±0.000	Pass	Thiacloprid	0.096	0.029	0.200	ND	±0.000	Pass
							Thiamethoxam	0.096	0.029	0.200	ND	±0.000	Pass
							Trifloxystrobin	0.096	0.029	0.200	ND	±0.000	Pass

Date Tested: 10/20/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. Testing Method: GC/MS/MS, CON-P-12000; Validation Date: 05/2025. The decision rule is employed; the uncertainty measurement is not included in the reported result.



Ashley N Phillips

Ashley Phillips
Laboratory Director
10/20/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



Stay Cool Beverages - Pineapple Wave - Delta-9

Sample ID: 2610NBL1784.4869

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 10/07/2026

Completed: 10/20/2026

Expires: 10/20/2027

External Lot ID:

Batch#: 0923

Client

Stay Cool

Lic. #

2800 Treble Lane #834 Austin, TX 78704

(512) 971-1316 steven@drinkstaycool.com

Microbials

Pass

Analyte	LOD	Result	Status
	CFU/g		
Shiga Toxin-producing E. Coli	1.000	ND	Pass
Salmonella	1.000	ND	Pass
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	1.000	ND	Pass

Testing Method: qPCR, CON-P-6000; Validation Date: 01/2021. The decision rule is employed; the uncertainty measurement is not included in the reported result.

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	10	10	Pass
Yeast & Mold	10	ND	Pass

Testing Method: Petrifilms, CON-P-9000; Validation Date: 12/2021.
Date Tested: 10/09/2026

CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected. The decision rule is employed; the uncertainty measurement is not included in the reported result.

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Result	MU	Status
	PPB	PPB	PPB	PPB	PPB	
B1	1.5	4.8		ND	±0.0	Tested
B2	1.5	4.8		ND	±0.0	Tested
G1	1.5	4.8		ND	±0.0	Tested
G2	1.5	4.8		ND	±0.0	Tested
Total Aflatoxins	1.5	4.8	20.0	ND	±0.0	Pass
Ochratoxin A	5.7	19.1	20.0	ND	±0.0	Pass

Date Tested: 10/20/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. The decision rule is employed; the uncertainty measurement is not included in the reported result.

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Result	MU	Status
	PPM	PPM	PPM	PPM	PPM	
Arsenic	0.048	0.097	0.200	ND	±0.000	Pass
Cadmium	0.048	0.097	0.200	ND	±0.000	Pass
Lead	0.048	0.097	0.500	ND	±0.000	Pass
Mercury	0.048	0.097	0.100	ND	±0.000	Pass

Date Tested: 10/15/2026

Testing Method: ICP/MS, CON-P-7000; Validation Date: 09/2020. The decision rule is employed; the uncertainty measurement is not included in the reported result.



Ashley N Phillips

Ashley Phillips
Laboratory Director
10/20/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

Regulatory Compliance Testing - Tennessee

4 of 4

Stay Cool Beverages - Pineapple Wave - Delta-9

Sample ID: 2610NBL1784.4869

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 10/07/2026

Completed: 10/20/2026

Expires: 10/20/2027

External Lot ID:

Batch#: 0923

Client

Stay Cool

Lic. #

2800 Treble Lane #834 Austin, TX 78704

(512) 971-1316 steven@drinkstaycool.com

Residual Solvents

Analyte	LOD	LOQ	Limit	Result	MU	Status
	PPM	PPM	PPM	PPM	PPM	
Acetone	75.000	250.000	1000.000	ND	±0.000	Pass
Benzene	0.300	1.000	2.000	ND	±0.000	Pass
n-Butane	69.000	230.000		ND	±0.000	Tested
Isobutane	69.000	230.000		ND	±0.000	Tested
Butanes			1000.000	ND	±0.000	Pass
Ethanol	75.000	250.000	5000.000	657.148	±37.937	Pass
Ethyl Acetate	75.000	250.000	1000.000	ND	±0.000	Pass
Heptane	75.000	250.000	1000.000	ND	±0.000	Pass
n-Hexane	1.500	5.000		ND	±0.000	Tested
2,2-Dimethylbutane	1.500	5.000		ND	±0.000	Tested
3-Methylpentane	1.500	5.000		ND	±0.000	Tested
2-Methylpentane/2,3-Dimethylbutane	3.000	10.000		ND	±0.000	Tested
Hexanes			60.000	ND	±0.000	Pass
Methanol	30.000	100.000	600.000	ND	±0.000	Pass
Isopentane	69.000	230.000		ND	±0.000	Tested
n-Pentane	30.000	100.000		ND	±0.000	Tested
Neopentane	69.000	230.000		ND	±0.000	Tested
Pentanes			1000.000	ND	±0.000	Pass
2-Propanol	75.000	250.000	1000.000	ND	±0.000	Pass
Propane	300.000	1000.000	1000.000	ND	±0.000	Pass
Toluene	0.150	0.500	180.000	ND	±0.000	Pass
Ethylbenzene	0.150	0.500		ND	±0.000	Tested
m/p-Xylene	0.150	0.500		ND	±0.000	Tested
o-Xylene	0.150	0.500		ND	±0.000	Tested
Xylenes			430.000	ND	±0.000	Pass

Date Tested: 10/16/2026

Testing Method: HS-GC/MS, CON-P-8000; Validation Date: 09/2020, Butanes (measured as the cumulative sum of n-Butane and iso-Butane), Hexanes (measured as the cumulative sum of n-Hexane, 2,2-Dimethylbutane, 3-Methylpentane, 2-Methylpentane/2,3-Dimethylbutane), Pentanes (measured as the cumulative sum of iso-Pentane, n-Pentane, and neo-Pentane), Xylenes (measured as the cumulative sum of m/p-Xylene, o-Xylenes, and ethylbenzene). The decision rule is employed; the uncertainty measurement is not included in the reported result.



Ashley N Phillips

Ashley Phillips
Laboratory Director
10/20/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.