

Stay Cool

2800 Treble Lane #834
Austin, TX 78704
steven@drinkstaycool.com
(512) 971-1316
Lic. #

Sample: 2512CWB0321.1046

Strain: N/A
Batch#: 6007; Batch Size: g
Sample Received: 12/29/2025; Report Created: 01/05/2026
Sampling: ; Environment:

Stay Cool Beverages - Watermelon Splash - Delta-9^{Notes:}

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:



	0.007%	ND	NR
	Δ9 THC	Total CBD	
	25.12 mg/unit	25.12 mg/unit	
	Total THC	Total Cannabinoids	Moisture

Cannabinoids

Analyte	LOQ mg/unit	Result mg/unit	Result mg/mL
THCa	3.40	ND	ND
Δ9-THC	3.40	25.12	0.07
Δ8-THC	3.40	ND	ND
THCV	3.40	ND	ND
CBDa	10.21	ND	ND
CBD	10.21	ND	ND
CBDVa	3.40	ND	ND
CBDV	3.40	ND	ND
CBN	3.40	ND	ND
CBGa	3.40	ND	ND
CBG	3.40	ND	ND
CBC	3.40	ND	ND
Total		25.12	0.07

1 mL = 0.9863g.

Total THC = THCa * 0.877 + d9-THC; Total CBD = CBDa * 0.877 + CBD; Total Cannabinoids = Sum of quantifiable cannabinoids
LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. The estimated level of uncertainty for these results is 0.05%. Analysis Method: SOP017, SOP030

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
<http://www.clearwaterbiotech.com>
Lic# 100737 L21-505



Hunter Flanagan
Laboratory Manager

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.

Stay Cool

2800 Treble Lane #834
Austin, TX 78704
steven@drinkstaycool.com
(512) 971-1316
Lic. #

Sample: 2512CWB0321.1046

Strain: N/A
Batch#: 6007; Batch Size: g
Sample Received: 12/29/2025; Report Created: 01/05/2026

Sampling: ; Environment:

Stay Cool Beverages - Watermelon Splash - Delta-9

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7654

Classification: HEMP/CBD FLORIDA - FOOD - HEMP RULES FOR ALL PRODUCTS OTHER THAN TOPICAL, FLOWER, AND SUPPOSITORIES.

Kaycha Labs
2512CWB0321.1046
Matrix: Edible
Sample Size: 11 ml
Type: Beverage

Certificate of Analysis

Pages 1 of 4

COMPLIANCE FOR RETAIL PASSED

Harvest/Lot ID: 1
Batch #: 1
Harvest Date: 12/29/25
Production Method: Other - Not Listed
Total Amount: 1 units
Retail Product Size: 1 units
Retail Serving Size: 1 units
Servings: 1

Lab ID: MIS1231001-006
Sampled: 12/29/25
Sampling Method: KP
Sample Size: 11 ml
Completed: 01/02/26

Clearwater Biotech, LLC
1327 Miller Road
Greenville, SC, 29607, US

SAFETY RESULTS

Pesticide	Heavy Metals	Microbial	Mycotoxins	Solvents	Filtration	Water Activity	Moisture	Terpenes
PASSED	PASSED	PASSED	PASSED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED

Pesticide PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL CONTAMINANT LOAD (PESTICIDES)	ppm	0.0100	0.0500	30	PASS	ND	
TOTAL DIMETHOMORPH	ppm	0.0100	0.0500	3	PASS	ND	
TOTAL PERMETHRIN	ppm	0.0100	0.0500	1	PASS	ND	
TOTAL PYRETHRINS	ppm	0.0100	0.0500	1	PASS	ND	
TOTAL SPINETORAM	ppm	0.0100	0.0500	3	PASS	ND	
TOTAL SPINOSAD	ppm	0.0100	0.0500	3	PASS	ND	
ABAMECTIN B1A	ppm	0.0100	0.0500	0.3	PASS	ND	
ACEPHATE	ppm	0.0100	0.0500	3	PASS	ND	
ACEQUINOCYL	ppm	0.0100	0.0500	2	PASS	ND	
ACETAMIPROD	ppm	0.0100	0.0500	3	PASS	ND	
ALDICARB	ppm	0.0100	0.0500	0.1	PASS	ND	
AZOXYSTROBIN	ppm	0.0100	0.0500	3	PASS	ND	
BIFENAZATE	ppm	0.0100	0.0500	3	PASS	ND	
CHLORPYRIFOS	ppm	0.0100	0.0500	0.1	PASS	ND	
BIFENTHRIN	ppm	0.0100	0.0500	0.5	PASS	ND	
BOSCALID	ppm	0.0100	0.0500	3	PASS	ND	
CARBARYL	ppm	0.0100	0.0500	0.5	PASS	ND	
CLOFENTEZINE	ppm	0.0100	0.0500	0.5	PASS	ND	
CARBOURAN	ppm	0.0100	0.0500	0.1	PASS	ND	
COLMAPHOS	ppm	0.0100	0.0500	0.1	PASS	ND	
CHLORANTRANILPROLE	ppm	0.0100	0.0500	3	PASS	ND	
DAMINOZIDE	ppm	0.0100	0.0500	0.1	PASS	ND	
CHLORMEQUAT CHLORIDE	ppm	0.0100	0.0500	3	PASS	ND	
DAZINON	ppm	0.0100	0.0500	3	PASS	ND	
DICHLOROVOS	ppm	0.0100	0.0500	0.1	PASS	ND	
DIMETHOATE	ppm	0.0100	0.0500	0.1	PASS	ND	
ETHOPROPHOS	ppm	0.0100	0.0500	0.1	PASS	ND	
ETOFENPROL	ppm	0.0100	0.0500	0.1	PASS	ND	
ETOXAZOLE	ppm	0.0100	0.0500	1.5	PASS	ND	
FENHEXAMID	ppm	0.0100	0.0500	3	PASS	ND	
FENOXICARB	ppm	0.0100	0.0500	0.1	PASS	ND	
FENPRODIMATE	ppm	0.0100	0.0500	2	PASS	ND	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL 00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation (PL) Testing
97164

Signature
01/02/26

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
<http://www.clearwaterbiotech.com>
Lic# 100737 L21-505

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.

Stay Cool

2800 Treble Lane #834
Austin, TX 78704
steven@drinkstaycool.com
(512) 971-1316
Lic. #

Sample: 2512CWB0321.1046

Strain: N/A
Batch#: 6007; Batch Size: g
Sample Received: 12/29/2025; Report Created: 01/05/2026

Sampling: ; Environment:

Stay Cool Beverages - Watermelon Splash - Delta-9

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs
2512CWB0321.1046
Matrix: Edible
FLOWER, AND SUPPOSITORIES
Type: Beverage

Certificate of Analysis

Clearwater Biotech, LLC
1327 Miller Road
Greenville, SC, 29607, US

Sample: M151231001-006
Batch #: 1
Harvest/Lot ID: 1

Ordered: 12/29/25
Sampled: 12/29/25
Completed: 01/02/26

Pages 2 of 4

Pesticide

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
FFIPRONIL	ppm	0.0100	0.0500	0.1	PASS	ND	
FLUDICAMID	ppm	0.0100	0.0500	2	PASS	ND	
FLUDIOXONIL	ppm	0.0100	0.0500	3	PASS	ND	
HEXYTHAZOX	ppm	0.0100	0.0500	2	PASS	ND	
IMAZAIL	ppm	0.0100	0.0500	0.1	PASS	ND	
IMIDACLOPRID	ppm	0.0100	0.0500	1	PASS	ND	
KRESOXIM-METHYL	ppm	0.0100	0.0500	1	PASS	ND	
MALATHION	ppm	0.0100	0.0500	2	PASS	ND	
METALAXYL	ppm	0.0100	0.0500	3	PASS	ND	
METHIOCARB	ppm	0.0100	0.0500	0.1	PASS	ND	
METHOXYL	ppm	0.0100	0.0500	0.1	PASS	ND	
MEVINPHOS	ppm	0.0100	0.0500	0.1	PASS	ND	
MYCLOBUTANIL	ppm	0.0100	0.0500	3	PASS	ND	
NALED	ppm	0.0100	0.0500	0.5	PASS	ND	
OXAFILY	ppm	0.0100	0.0500	0.5	PASS	ND	
PACLOBUTRAZOL	ppm	0.0100	0.0500	0.1	PASS	ND	
PHOSMET	ppm	0.0100	0.0500	0.2	PASS	ND	
PIPERONYL BUTOXIDE	ppm	0.0100	0.0500	3	PASS	ND	
PRALLETHRIN	ppm	0.0100	0.0500	0.4	PASS	ND	
PROFENAZOLE	ppm	0.0100	0.0500	1	PASS	ND	
PROPOXUR	ppm	0.0100	0.0500	0.1	PASS	ND	
PYRIDABEN	ppm	0.0100	0.0500	3	PASS	ND	
SPINOMESIFEN	ppm	0.0100	0.0500	3	PASS	ND	
SPINOTETRASTAT	ppm	0.0100	0.0500	3	PASS	ND	
SPIROXAMINE	ppm	0.0100	0.0500	0.1	PASS	ND	
TEBUCONAZOLE	ppm	0.0100	0.0500	1	PASS	ND	
THIACLOPRID	ppm	0.0100	0.0500	0.1	PASS	ND	
THIAMETHOXYM	ppm	0.0100	0.0500	1	PASS	ND	
TRIFLOXYSTROBIN	ppm	0.0100	0.0500	3	PASS	ND	
PENTACHLORONITROBENZENE (PCNB)	ppm	0.0100	0.0500	0.2	PASS	ND	
PARATHION-METHYL	ppm	0.0100	0.0500	0.1	PASS	ND	
CAPTAN	ppm	0.0700	0.350	3	PASS	ND	
CHLORDANE	ppm	0.0100	0.0500	0.1	PASS	ND	
CHLORFENAPYR	ppm	0.0100	0.0500	0.1	PASS	ND	
CYFLUTHRIN	ppm	0.0500	0.250	1	PASS	ND	
CYPERMETHRIN	ppm	0.0500	0.250	1	PASS	ND	

Analysis by: TSS, SSS, L440 Weight: 0.9597g Extraction date: 12/31/25 11:39:05 Extracted by: 1022.491.965

Analysis Method : SOP-T-30.102.FL.SOP-T.40.102.FL Batch Date : 12/31/25 09:09:15

Analytical Batch : M1094310PE5

Instrument Used : 04-LCMS-004 (PES)

Analyzed Date : 01/02/26 16:35:33

Dilution : 250

Reagent : 121205.R10; 043025.20

Consumables : 927.100; 030125CH01; 6688360-03

Pipette : N/A

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 3K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL 00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation TRL-Testing
97164

Signature
01/02/26

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
http://www.clearwaterbiotech.com
Lic# 100737 L21-505

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Stay Cool

2800 Treble Lane #834
Austin, TX 78704
steven@drinkstaycool.com
(512) 971-1316
Lic. #

Sample: 2512CWB0321.1046

Strain: N/A
Batch#: 6007; Batch Size: g
Sample Received: 12/29/2025; Report Created: 01/05/2026

Sampling: ; Environment:

Stay Cool Beverages - Watermelon Splash - Delta-9

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs
2512CWB0321.1046
Matrix: Edible
FLOWER, AND SUPPOSITORIES.
Type: Beverage

Certificate of Analysis

Pages 3 of 4

Clearwater Biotech, LLC
1327 Miller Road
Greenville, SC, 29607, US

Sample: MIS1231001-006
Batch #: 1
Harvest/Lot ID: 1

Ordered: 12/29/25
Sampled: 12/29/25
Completed: 01/02/26

Pesticide

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
<p>Analysis Method: SOP T 30 151A.FL, SOP T 40 151.FL Analytical Batch: MI094313.VOL Instrument Used: DA-6245.G1D Analyzed Date: 12/02/26 10:35:34 Batch Date: 12/31/25 09:10:09</p> <p>Dilution: 250 Reagent: 121625.R18; 643025.26; 121225.R09; 121225.R10 Consumables: 3847.110; 030125003; 231021000; 17433601 Pipette: DA-080; DA-146; DA-218</p> <p><small>Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</small></p>							

Microbial

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
ASPERGILLUS FLAVUS					PASS	Not Present	
SALMONELLA SPECIFIC GENE					PASS	Not Present	
ASPERGILLUS FUMIGATUS					PASS	Not Present	
E. COLI - SHIGELLA					PASS	Not Present	
ASPERGILLUS TERREUS					PASS	Not Present	
ASPERGILLUS NIGER					PASS	Not Present	
TOTAL YEAST AND MOLD	CFU/g	10.0	10.0	100000	PASS	<10.0	
<p>Analysis Method: SOP T 40 056C Analytical Batch: MI094299.HIC Instrument Used: DA-111 (Pathogen) Scanner, DA-188 (36.5°C Incubator), DA-049 (95°C Heat Block), DA-402 (55°C Heat Block) Analyzed Date: 01/02/26 11:10:14 Batch Date: 12/31/25 08:12:08</p> <p>Dilution: 10 Reagent: 100325.34; 100325.50; 111025.R23; 092525.03 Consumables: 758400401 Pipette: N/A</p> <p><small>Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.</small></p>							
<p>Analysis Method: SOP T 40 209.FL Analytical Batch: MI094309.TW Instrument Used: DA-328 (25°C Incubator) Analyzed Date: 01/02/26 11:09:08 Batch Date: 12/31/25 08:13:33</p> <p>Dilution: 10 Reagent: 111425.10; 111425.27; 102025.R24 Consumables: N/A Pipette: N/A</p> <p><small>Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.</small></p>							

Mycotoxins

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
AFLATOXIN B2	ppm	0.00200	0.0100	0.02	PASS	ND	
AFLATOXIN B1	ppm	0.00200	0.0100	0.02	PASS	ND	
OCHRATOXIN A	ppm	0.00200	0.0100	0.02	PASS	ND	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 3K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director
State License # CMTL 00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation: FLA-Testing
97164
Signature
01/02/26

Stay Cool

2800 Treble Lane #834
Austin, TX 78704
steven@drinkstaycool.com
(512) 971-1316
Lic. #

Sample: 2512CWB0321.1046

Strain: N/A
Batch#: 6007; Batch Size: g
Sample Received: 12/29/2025; Report Created: 01/05/2026

Sampling: ; Environment:

Stay Cool Beverages - Watermelon Splash - Delta-9

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7654

Kaycha Labs
2512CWB0321.1046
Matrix: Edible
FLOWER, AND SUPPOSITORIES.
Type: Beverage

Pages 4 of 4

Clearwater Biotech, LLC
1327 Miller Road
Greenville, SC, 29607, US

Sample: M51231001-006
Batch #: 1
Harvest/Lot ID: 1

Ordered: 12/29/25
Sampled: 12/29/25
Completed: 01/02/26

PASSED

ANALYTES		UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
AFLATOXIN G1		ppm	0.00200	0.0100	0.02	PASS	ND	
AFLATOXIN G2		ppm	0.00200	0.0100	0.02	PASS	ND	
Analyzed by: 795, 585, 1440		Weight: 0.9997g	Extraction date: 12/31/25 11:39:05		Extracted by: 1022,450,585			
<small>Analysis Method : SOP T.30.102.FL, SOP T.40.102.FL Analytical Batch : M10943104MYC Instrument Used : DA-LCMS-004 (MYC) Analyzed Date : 01/02/26 16:36:04 Batch Date : 12/31/25 09:10:59 Dilution : 2:10 Reagent : N/A Consumables : N/A Pipette : N/A</small>								

ANALYTES		UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL CONTAMINANT LOAD METALS								
ARSENIC		ppm	0.0800	0.400	5	PASS	ND	
CADMIUM		ppm	0.0200	0.100	1.5	PASS	ND	
MERCURY		ppm	0.0200	0.100	0.5	PASS	ND	
LEAD		ppm	0.0200	0.100	3	PASS	ND	
Analyzed by: 4531, 585, 1440		Weight: 0.2807g	Extraction date: 12/31/25 09:43:47		Extracted by: 4531,5122			
<small>Analysis Method : SOP T.30.082.FL, SOP T.40.082.FL Analytical Batch : M10943179EA Instrument Used : DA-LCMS-005 Analyzed Date : 01/02/26 10:38:36 Batch Date : 12/31/25 09:11:35 Dilution : 5:1 Reagent : 121825.R04; 122325.R15; 123025.R06; 121925.R15; 123025.R04; 123025.R05; 120825.01; 122325.R16 Consumables : 030125CH01; J609879-0193; 179436 Pipette : DA-051; DA-191; DA-215</small>								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64E20-39 and F.S. Rule 3K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

Signature
01/02/26

State License # CMTL 00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation (PLA) Testing
97164

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
http://www.clearwaterbiotech.com
Lic# 100737 L21-505

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

