New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

Stay Cool Beverages - Lemonberry Blast - Delta-9

Sample ID: 2605NBL0894.2469
Matrix: Ingestible
Type: Beverage
Sample Size:
Date Collected:

Received: 05/22/2026
Completed: 06/09/2026
Expires: 06/09/2027
External Lot ID: 5/1/2028
Batch#: 6023

Client
Stay Cool
Lic. #
2800 Treble Lane #834 Austin, TX 78704
(512) 971-1316 steven@drinkstaycool.com

Summary

Test	Date Tested	Result
Cannabinoids	05/23/2026	Complete
Residual Solvents	06/04/2026	Complete
Microbials	06/01/2026	Complete
Mycotoxins	06/05/2026	Complete
Pesticides	06/05/2026	Complete
Heavy Metals	06/09/2026	Complete
Foreign Matter	05/22/2026	Not Detected

Cannabinoids

Complete

26.033 mg/unit	0.0071%	ND	26.033 mg/unit
Total THC	Δ9-THC	Total CBD	Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/mL	%
(6aR,9R)-d10-THC	0.9124	1.369	ND	ND	ND
9R-HHC	0.9124	1.369	ND	ND	ND
(6aR,9S)-d10-THC	0.9124	1.369	ND	ND	ND
9S-HHC	0.9124	1.369	ND	ND	ND
CBC	0.9124	1.369	ND	ND	ND
CBCa	0.9124	1.369	ND	ND	ND
CBD	0.9124	1.369	ND	ND	ND
CBDa	0.9124	1.369	ND	ND	ND
CBDV	0.9124	1.369	ND	ND	ND
CBDVa	0.9124	1.369	ND	ND	ND
CBG	0.9124	1.369	ND	ND	ND
CBGa	0.9124	1.369	ND	ND	ND
CBN	0.9124	1.369	ND	ND	ND
CBNa	0.9124	1.369	ND	ND	ND
Δ8-THC	0.9124	1.369	ND	ND	ND
Δ9-THC	0.9124	1.369	26.033	0.07354	0.007
THCa	0.9124	1.369	ND	ND	ND
THCp	0.9124	1.369	ND	ND	ND
THCV	0.9124	1.369	ND	ND	ND
THCVa	0.9124	1.369	ND	ND	ND
Total THC			**26.033**	**0.07354**	**0.007**
Total CBD			**ND**	**ND**	**ND**
Total			**26.033**	**0.07354**	**0.007**

Date Tested: 05/23/2026
Density: 1 mL = 1.031 g, Unit Mass: 364.974 g, 1 Unit = 12 fl oz
Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.
Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; Total THC Measurement of Uncertainty: ± 0.040%, Total CBD Measurement of Uncertainty: ± 2.000%.

Ashley Phillips
Laboratory Director
06/09/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.

Stay Cool Beverages - Lemonberry Blast - Delta-9

Sample ID: 2605NBL0894.2469
Matrix: Ingestible
Type: Beverage
Sample Size:
Date Collected:

Received: 05/22/2026
Completed: 06/09/2026
Expires: 06/09/2027
External Lot ID: 5/1/2028
Batch#: 6023

Client
Stay Cool
Lic. #
2800 Treble Lane #834 Austin, TX 78704
(512) 971-1316 steven@drinkstaycool.com

Pesticides

Complete

Analyte	LOQ	LOD	Limit	Result	Status	Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
Abamectin	0.092	0.026		ND	Tested	Fludioxonil	0.088	0.026		ND	Tested
Acephate	0.088	0.026		ND	Tested	Hexythiazox	0.088	0.026		ND	Tested
Acequinocyl	0.088	0.026		ND	Tested	Imazalil	0.088	0.026		ND	Tested
Acetamiprid	0.088	0.026		ND	Tested	Imidacloprid	0.088	0.026		ND	Tested
Aldicarb	0.088	0.026		ND	Tested	Kresoxim Methyl	0.088	0.026		ND	Tested
Azoxystrobin	0.088	0.026		ND	Tested	Malathion	0.088	0.026		ND	Tested
Bifenazate	0.088	0.026		ND	Tested	Metalaxyl	0.088	0.026		ND	Tested
Bifenthrin	0.088	0.026		ND	Tested	Methiocarb	0.088	0.026		ND	Tested
Boscalid	0.088	0.026		ND	Tested	Methomyl	0.088	0.026		ND	Tested
Captan	0.352	0.106		ND	Tested	Mevinphos	0.088	0.026		ND	Tested
Carbaryl	0.088	0.026		ND	Tested	Myclobutanil	0.088	0.026		ND	Tested
Carbofuran	0.088	0.026		ND	Tested	Naled	0.220	0.067		ND	Tested
Chlorantraniliprole	0.088	0.026		ND	Tested	Oxamyl	0.088	0.026		ND	Tested
Chlordane	0.088	0.026		ND	Tested	Paclobutrazol	0.088	0.026		ND	Tested
Chlorfenapyr	0.070	0.021		ND	Tested	Methyl Parathion	0.070	0.021		ND	Tested
Chlormequat	0.088	0.026		ND	Tested	Pentachloronitrobenzene	0.070	0.021		ND	Tested
Chlorpyrifos	0.088	0.026		ND	Tested	Permethrins	0.088	0.026		ND	Tested
Clofentezine	0.088	0.026		ND	Tested	Phosmet	0.088	0.026		ND	Tested
Coumaphos	0.088	0.026		ND	Tested	Piperonyl Butoxide	0.088	0.026		ND	Tested
Cyfluthrin	0.440	0.132		ND	Tested	Prallethrin	0.088	0.026		ND	Tested
Cypermethrin	0.440	0.132		ND	Tested	Propiconazole	0.088	0.026		ND	Tested
Daminozide	0.880	0.264		ND	Tested	Propoxur	0.088	0.026		ND	Tested
Diazinon	0.088	0.026		ND	Tested	Pyrethrins	0.440	0.132		ND	Tested
Dichlorvos	0.044	0.014		ND	Tested	Pyridaben	0.088	0.026		ND	Tested
Dimethoate	0.088	0.026		ND	Tested	Spinetoram	0.088	0.026		ND	Tested
Dimethomorph	0.085	0.026		ND	Tested	Spinosad	0.090	0.026		ND	Tested
Ethoprophos	0.088	0.026		ND	Tested	Spiromesifen	0.088	0.026		ND	Tested
Etofenprox	0.088	0.026		ND	Tested	Spirotetramat	0.088	0.026		ND	Tested
Etoxazole	0.088	0.026		ND	Tested	Spiroxamine	0.088	0.026		ND	Tested
Fenhexamid	0.088	0.026		ND	Tested	Tebuconazole	0.088	0.026		ND	Tested
Fenoxycarb	0.088	0.026		ND	Tested	Thiacloprid	0.088	0.026		ND	Tested
Fenpyroximate	0.088	0.026		ND	Tested	Thiamethoxam	0.088	0.026		ND	Tested
Fipronil	0.088	0.026		ND	Tested	Trifloxystrobin	0.088	0.026		ND	Tested
Flonicamid	0.088	0.026		ND	Tested						

Date Tested: 06/05/2026
Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. Testing Method: GC/MS/MS, CON-P-12000; Validation Date: 05/2025.

Ashley Phillips
Laboratory Director
06/09/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.

Stay Cool Beverages - Lemonberry Blast - Delta-9

Sample ID: 2605NBL0894.2469
Matrix: Ingestible
Type: Beverage
Sample Size:
Date Collected:

Received: 05/22/2026
Completed: 06/09/2026
Expires: 06/09/2027
External Lot ID: 5/1/2028
Batch#: 6023

Client
Stay Cool
Lic. #
2800 Treble Lane #834 Austin, TX 78704
(512) 971-1316 steven@drinkstaycool.com

Microbials

Complete

Analyte	LOD	Result	Status
	CFU/g		
Shiga Toxin-producing E. Coli	1.000	ND	Tested
Salmonella	1.000	ND	Tested
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	1.000	ND	Tested

Testing Method: qPCR, CON-P-6000; Validation Date: 01/2021.

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	9	ND	Tested
Enterobacteriaceae (BTGN)	9	ND	Tested
Coliforms	9	ND	Tested
Yeast & Mold	9	ND	Tested
E. Coli	9	ND	Tested

Testing Method: Petrifilms, CON-P-9000; Validation Date: 12/2021.

Date Tested: 06/01/2026
CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected

Mycotoxins

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
B1	1	4		ND	Tested
B2	1	4		ND	Tested
G1	1	4		ND	Tested
G2	1	4		ND	Tested
Total Aflatoxins	1	4		ND	Tested
Ochratoxin A	5	18		ND	Tested

Date Tested: 06/05/2026
Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020.

Heavy Metals

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.049	0.097		ND	Tested
Cadmium	0.049	0.097		ND	Tested
Lead	0.049	0.097		ND	Tested
Mercury	0.049	0.097		ND	Tested
Palladium	0.049	0.244		ND	Tested
Selenium	0.049	0.097		ND	Tested

Date Tested: 06/09/2026
Testing Method: ICP/MS, CON-P-7000; Validation Date: 09/2020.

Ashley Phillips
Laboratory Director
06/09/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.

Stay Cool Beverages - Lemonberry Blast - Delta-9

Sample ID: 2605NBL0894.2469
Matrix: Ingestible
Type: Beverage
Sample Size:
Date Collected:

Received: 05/22/2026
Completed: 06/09/2026
Expires: 06/09/2027
External Lot ID: 5/1/2028
Batch#: 6023

Client
Stay Cool
Lic. #
2800 Treble Lane #834 Austin, TX 78704
(512) 971-1316 steven@drinkstaycool.com

Residual Solvents

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Acetone	75.000	250.000		ND	Tested
Benzene	0.300	1.000		ND	Tested
n-Butane	69.000	230.000		ND	Tested
Isobutane	69.000	230.000		ND	Tested
Ethanol	75.000	250.000		894.093	Tested
Ethyl Acetate	75.000	250.000		ND	Tested
Heptane	75.000	250.000		ND	Tested
n-Hexane	1.500	5.000		ND	Tested
2,2-Dimethylbutane	1.500	5.000		ND	Tested
3-Methylpentane	1.500	5.000		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	3.000	10.000		ND	Tested
Methanol	30.000	100.000		ND	Tested
Isopentane	69.000	230.000		ND	Tested
n-Pentane	30.000	100.000		ND	Tested
Neopentane	69.000	230.000		ND	Tested
2-Propanol	75.000	250.000		ND	Tested
Propane	300.000	1000.000		ND	Tested
Toluene	0.150	0.500		ND	Tested
Ethylbenzene	0.150	0.500		ND	Tested
m/p-Xylene	0.150	0.500		ND	Tested
o-Xylene	0.150	0.500		ND	Tested
1,1-Dichloroethene	0.600	2.000		ND	Tested
1,2-Dichloroethane	0.600	2.000		ND	Tested
Ethylene Oxide	1.500	5.000		ND	Tested
Acetonitrile	6.000	20.000		ND	Tested
Chloroform	0.600	2.000		ND	Tested
Ethyl Ether	75.000	250.000		ND	Tested
Dichloromethane	30.000	100.000		ND	Tested
Trichloroethene	6.000	20.000		ND	Tested
2,3-Butanedione	30.000	100.000		ND	Tested

Date Tested: 06/04/2026
Testing Method: HS-GC/MS, CON-P-8000; Validation Date: 09/2020.

Ashley Phillips
Laboratory Director
06/09/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.