

Certificate of Analysis

Certificate ID: 220519-1-01

Prepared for:	Sample ID: 220519.001.INF.01
Stay Cool Beverages, LLC	Sample Type: Infused Product
2800 Treble Lane #834	Sample Name: Mango Passion - 05/24/2023
Austin, TX 78704	Batch/Lot No.: N/A
	Date Received: 3/8/2022
	Test(s): Potency




Cannabinoids Potency

Method: HPLC-DAD; SOP-CANN0104

Analyte	LOQ (% w/v)	Results	
		mg/mL	% w/v
Tetrahydrocannabinolic Acid (THCA)	0.0002	ND	ND
Delta-9-Tetrahydrocannabinol (Δ^9 THC)	0.0002	ND	ND
Delta-8-Tetrahydrocannabinol (Δ^8 THC)	0.0002	ND	ND
Tetrahydrocannabivarinic Acid (THCVA)	0.0002	ND	ND
Tetrahydrocannabivarin (THCV)	0.0002	ND	ND
Cannabidiolic Acid (CBDA)	0.0001	ND	ND
Cannabidiol (CBD)	0.0001	0.0749	0.0075
Cannabigerolic Acid (CBGA)	0.0001	ND	ND
Cannabigerol (CBG)	0.0001	0.0018	0.0002
Cannabidivarinic Acid (CBDVA)	0.0001	BLOQ	BLOQ
Cannabidivarin (CBDV)	0.0001	ND	ND
Cannabinol (CBN)	0.0002	ND	ND
Cannabichromene (CBC)	0.0002	0.0025	0.0003
Cannabichromenic Acid (CBCA)	0.0002	ND	ND
Total Cannabinoids (TC) %		0.008	
*Total CBD %		0.007	

Summary

Analyte % of Total Cannabinoids



Total CBD = 26.59 mg

% (w/v) = (Weight of Analyte / Volume of Product) *100

*Total CBD = (0.877 x CBDA) + CBD

† Total THC = (0.877 x THCA) + Δ^9 THC

ND = Not Detected

LOQ = Limit of Quantitation

BLOQ = Below Limit of Quantitation

Percentages presented in the donut graph represent the % of a single analyte to total % Cannabinoids
Analyte % of Total Cannabinoids = % w/w / (TC) % *100

Analytical Chemist / Date:

Xavier Escobar, Chemist / March 10, 2022

Approved by / Date:

Gracy Garcia, Lab Manager / March 10, 2022

X Xavier Escobar

X J. Garcia



Testing results are based solely upon the sample submitted to KJ Scientific Independent Testing Labs; in the condition it was received. KJ Scientific Independent Testing Labs warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using valid methods in accordance with ISO/IEC 17025. This report may not be reproduced, except in full, without written approval of KJ Scientific Independent Testing Labs. ISO/IEC 17025:2017 Certificate No. AT-2884