New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

Stay Cool Beverages - Peach Paradise - Delta-9

Sample ID: 2605NBL0961.2670
Matrix: Ingestible
Type: Beverage
Sample Size:
Date Collected:

Received: 06/02/2026
Completed: 06/17/2026
Expires: 06/17/2027
External Lot ID: 5/7/2028
Batch#: 6020

Client
Stay Cool
Lic. #
2800 Treble Lane #834 Austin, TX 78704
(512) 971-1316 steven@drinkstaycool.com

Summary

Test	Date Tested	Result
Cannabinoids	06/02/2026	Complete
Residual Solvents	06/09/2026	Complete
Microbials	06/05/2026	Complete
Mycotoxins	06/12/2026	Complete
Pesticides	06/13/2026	Complete
Heavy Metals	06/10/2026	Complete
Foreign Matter	06/02/2026	Not Detected

Cannabinoids

Complete

9.674 mg/unit	0.0027%	ND	9.674 mg/unit
Total THC	Δ9-THC	Total CBD	Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/mL	%
(6aR,9R)-d10-THC	0.9071	1.361	ND	ND	ND
9R-HHC	0.9071	1.361	ND	ND	ND
(6aR,9S)-d10-THC	0.9071	1.361	ND	ND	ND
9S-HHC	0.9071	1.361	ND	ND	ND
CBC	0.9071	1.361	ND	ND	ND
CBCa	0.9071	1.361	ND	ND	ND
CBD	0.9071	1.361	ND	ND	ND
CBDa	0.9071	1.361	ND	ND	ND
CBDV	0.9071	1.361	ND	ND	ND
CBDVa	0.9071	1.361	ND	ND	ND
CBG	0.9071	1.361	ND	ND	ND
CBGa	0.9071	1.361	ND	ND	ND
CBN	0.9071	1.361	ND	ND	ND
CBNa	0.9071	1.361	ND	ND	ND
Δ8-THC	0.9071	1.361	ND	ND	ND
Δ9-THC	0.9071	1.361	9.674	0.02733	0.003
THCa	0.9071	1.361	ND	ND	ND
THCp	0.9071	1.361	ND	ND	ND
THCV	0.9071	1.361	ND	ND	ND
THCVa	0.9071	1.361	ND	ND	ND
Total THC			**9.674**	**0.02733**	**0.003**
Total CBD			**ND**	**ND**	**ND**
Total			**9.674**	**0.02733**	**0.003**

Date Tested: 06/02/2026
Density: 1 mL = 1.025 g, Unit Mass: 362.850 g, 1 Unit = 12 fl oz
Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.
Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; Total THC Measurement of Uncertainty: ± 0.040%, Total CBD Measurement of Uncertainty: ± 2.000%.

Ashley Phillips
Laboratory Director
06/17/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.

Stay Cool Beverages - Peach Paradise - Delta-9

Sample ID: 2605NBL0961.2670
Matrix: Ingestible
Type: Beverage
Sample Size:
Date Collected:

Received: 06/02/2026
Completed: 06/17/2026
Expires: 06/17/2027
External Lot ID: 5/7/2028
Batch#: 6020

Client
Stay Cool
Lic. #
2800 Treble Lane #834 Austin, TX 78704
(512) 971-1316 steven@drinkstaycool.com

Pesticides

Complete

Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Abamectin	0.102	0.029		ND	Tested
Acephate	0.098	0.029		ND	Tested
Acequinocyl	0.098	0.029		ND	Tested
Acetamiprid	0.098	0.029		ND	Tested
Aldicarb	0.098	0.029		ND	Tested
Azoxystrobin	0.098	0.029		ND	Tested
Bifenazate	0.098	0.029		ND	Tested
Bifenthrin	0.098	0.029		ND	Tested
Boscalid	0.098	0.029		ND	Tested
Captan	0.392	0.118		ND	Tested
Carbaryl	0.098	0.029		ND	Tested
Carbofuran	0.098	0.029		ND	Tested
Chlorantraniliprole	0.098	0.029		ND	Tested
Chlordane	0.016	0.005		ND	Tested
Chlorfenapyr	0.078	0.024		ND	Tested
Chlormequat	0.098	0.029		ND	Tested
Chlorpyrifos	0.098	0.029		ND	Tested
Clofentezine	0.098	0.029		ND	Tested
Coumaphos	0.098	0.029		ND	Tested
Cyfluthrin	0.078	0.024		ND	Tested
Cypermethrin	0.078	0.024		ND	Tested
Daminozide	0.098	0.029		ND	Tested
Diazinon	0.098	0.029		ND	Tested
Dichlorvos	0.049	0.016		ND	Tested
Dimethoate	0.098	0.029		ND	Tested
Dimethomorph	0.094	0.029		ND	Tested
Ethoprophos	0.098	0.029		ND	Tested
Etofenprox	0.098	0.029		ND	Tested
Etoxazole	0.098	0.029		ND	Tested
Fenhexamid	0.098	0.029		ND	Tested
Fenoxycarb	0.098	0.029		ND	Tested
Fenpyroximate	0.098	0.029		ND	Tested
Fipronil	0.098	0.029		ND	Tested
Flonicamid	0.098	0.029		ND	Tested

Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Fludioxonil	0.098	0.029		ND	Tested
Hexythiazox	0.098	0.029		ND	Tested
Imazalil	0.098	0.029		ND	Tested
Imidacloprid	0.098	0.029		ND	Tested
Kresoxim Methyl	0.098	0.029		ND	Tested
Malathion	0.098	0.029		ND	Tested
Metalaxyl	0.098	0.029		ND	Tested
Methiocarb	0.098	0.029		ND	Tested
Methomyl	0.098	0.029		ND	Tested
Mevinphos	0.098	0.029		ND	Tested
Myclobutanil	0.098	0.029		ND	Tested
Naled	0.245	0.075		ND	Tested
Oxamyl	0.098	0.029		ND	Tested
Paclobutrazol	0.098	0.029		ND	Tested
Methyl Parathion	0.078	0.024		ND	Tested
Pentachloronitrobenzene	0.078	0.024		ND	Tested
Permethrins	0.098	0.029		ND	Tested
Phosmet	0.098	0.029		ND	Tested
Piperonyl Butoxide	0.098	0.029		ND	Tested
Prallethrin	0.098	0.029		ND	Tested
Propiconazole	0.098	0.029		ND	Tested
Propoxur	0.098	0.029		ND	Tested
Pyrethrins	0.490	0.147		ND	Tested
Pyridaben	0.098	0.029		ND	Tested
Spinetoram	0.098	0.029		ND	Tested
Spinosad	0.100	0.029		ND	Tested
Spiromesifen	0.098	0.029		ND	Tested
Spirotetramat	0.098	0.029		ND	Tested
Spiroxamine	0.098	0.029		ND	Tested
Tebuconazole	0.098	0.029		ND	Tested
Thiacloprid	0.098	0.029		ND	Tested
Thiamethoxam	0.098	0.029		ND	Tested
Trifloxystrobin	0.098	0.029		ND	Tested

Date Tested: 06/13/2026
Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. Testing Method: GC/MS/MS, CON-P-12000; Validation Date: 05/2025.

Ashley Phillips
Laboratory Director
06/17/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.

Stay Cool Beverages - Peach Paradise - Delta-9

Sample ID: 2605NBL0961.2670
Matrix: Ingestible
Type: Beverage
Sample Size:
Date Collected:

Received: 06/02/2026
Completed: 06/17/2026
Expires: 06/17/2027
External Lot ID: 5/7/2028
Batch#: 6020

Client
Stay Cool
Lic. #
2800 Treble Lane #834 Austin, TX 78704
(512) 971-1316 steven@drinkstaycool.com

Microbials

Complete

Analyte	LOD	Result	Status
	CFU/g		
Shiga Toxin-producing E. Coli	1.000	ND	Tested
Salmonella	1.000	ND	Tested
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	1.000	ND	Tested

Testing Method: qPCR, CON-P-6000; Validation Date: 01/2021.

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	9	ND	Tested
Enterobacteriaceae (BTGN)	9	ND	Tested
Coliforms	9	ND	Tested
Yeast & Mold	10	20	Tested
E. Coli	9	ND	Tested

Testing Method: Petrifilms, CON-P-9000; Validation Date: 12/2021.

Date Tested: 06/05/2026
CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected

Mycotoxins

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
B1	2	5		ND	Tested
B2	2	5		ND	Tested
G1	2	5		ND	Tested
G2	2	5		ND	Tested
Total Aflatoxins	2	5		ND	Tested
Ochratoxin A	6	20		ND	Tested

Date Tested: 06/12/2026
Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020.

Heavy Metals

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.046	0.092		ND	Tested
Cadmium	0.046	0.092		ND	Tested
Lead	0.046	0.092		ND	Tested
Mercury	0.046	0.092		ND	Tested
Palladium	0.046	0.231		ND	Tested
Selenium	0.046	0.092		ND	Tested

Date Tested: 06/10/2026
Testing Method: ICP/MS, CON-P-7000; Validation Date: 09/2020.

Ashley Phillips
Laboratory Director
06/17/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.

Stay Cool Beverages - Peach Paradise - Delta-9

Sample ID: 2605NBL0961.2670
Matrix: Ingestible
Type: Beverage
Sample Size:
Date Collected:

Received: 06/02/2026
Completed: 06/17/2026
Expires: 06/17/2027
External Lot ID: 5/7/2028
Batch#: 6020

Client
Stay Cool
Lic. #
2800 Treble Lane #834 Austin, TX 78704
(512) 971-1316 steven@drinkstaycool.com

Residual Solvents

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Acetone	66.964	223.214		ND	Tested
Benzene	0.268	0.893		ND	Tested
n-Butane	61.607	205.357		ND	Tested
Isobutane	61.607	205.357		ND	Tested
Ethanol	66.964	223.214		ND	Tested
Ethyl Acetate	66.964	223.214		ND	Tested
Heptane	66.964	223.214		ND	Tested
n-Hexane	1.339	4.464		ND	Tested
2,2-Dimethylbutane	1.339	4.464		ND	Tested
3-Methylpentane	1.339	4.464		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	2.679	8.929		ND	Tested
Methanol	26.786	89.286		ND	Tested
Isopentane	61.607	205.357		ND	Tested
n-Pentane	26.786	89.286		ND	Tested
Neopentane	61.607	205.357		ND	Tested
2-Propanol	66.964	223.214		ND	Tested
Propane	267.857	892.857		ND	Tested
Toluene	0.134	0.446		ND	Tested
Ethylbenzene	0.134	0.446		ND	Tested
m/p-Xylene	0.134	0.446		ND	Tested
o-Xylene	0.134	0.446		ND	Tested
1,1-Dichloroethene	0.536	1.786		ND	Tested
1,2-Dichloroethane	0.536	1.786		ND	Tested
Ethylene Oxide	1.339	4.464		ND	Tested
Acetonitrile	5.357	17.857		ND	Tested
Chloroform	0.536	1.786		ND	Tested
Ethyl Ether	66.964	223.214		ND	Tested
Dichloromethane	26.786	89.286		ND	Tested
Trichloroethene	5.357	17.857		ND	Tested
2,3-Butanedione	26.786	89.286		ND	Tested

Date Tested: 06/09/2026
Testing Method: HS-GC/MS, CON-P-8000; Validation Date: 09/2020.

Ashley Phillips
Laboratory Director
06/17/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.