

Stay Cool

2800 Treble Lane #834
Austin, TX 78704
steven@drinkstaycool.com
(512) 971-1316
Lic. #


Sample: 2505CWB0114.0378

Strain: N/A
Batch#: 25118; Batch Size: g
Sample Received: 05/08/2025; Report Created: 05/12/2025
Sampling: ; Environment:

Stay Cool Beverages - Pineapple Wave - Delta-9^{Notes:}

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:



	0.007%	ND	NR
	Δ9 THC	Total CBD	
	25.32 mg/unit	25.32 mg/unit	
	Total THC	Total Cannabinoids	
			Moisture

Cannabinoids


Analyte	LOQ mg/unit	Result mg/unit	Result mg/mL
THCa	3.40	ND	ND
Δ9-THC	3.40	25.32	0.07
Δ8-THC	3.40	ND	ND
THCV	3.40	ND	ND
CBDa	3.40	ND	ND
CBD	3.40	ND	ND
CBDVa	3.40	ND	ND
CBDV	3.40	ND	ND
CBN	3.40	<LOQ	<LOQ
CBGa	3.40	ND	ND
CBG	3.40	ND	ND
CBC	3.40	ND	ND
Total		25.32	0.07

1 mL = 1.0072g.

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; Total Cannabinoids = Sum of quantifiable cannabinoids
LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. The estimated level of uncertainty for these results is 0.05%. Analysis Method: SOP017, SOP030

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
<http://www.clearwaterbiotech.com>
Lic# 100737 L21-505




Lindsey Contella
Certifying Scientist

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.

Stay Cool

2800 Treble Lane #834
Austin, TX 78704
steven@drinkstaycool.com
(512) 971-1316
Lic. #

Sample: 2505CWB0114.0378

Strain: N/A

Batch#: 25118; Batch Size: g

Sample Received: 05/08/2025; Report Created: 05/12/2025

Sampling: ; Environment:

Stay Cool Beverages - Pineapple Wave - Delta-9^{Notes:}

Ingestible, Beverage

Harvest Process Lot: ; METRC Batch: ; METRC Sample:



 **kaycha**
LABS
4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50508014-003



May 12, 2025 | Clearwater Biotech, LLC
1327 Miller Road
Greenville, SC, 29607, US

**PASSED**

Pages 1 of 4

SAFETY RESULTS

Pesticides
PASSEDHeavy Metals
PASSEDMicrobials
PASSEDMycotoxins
PASSEDResiduals
Solvents
PASSEDFiltration
NOT TESTEDWater Activity
NOT TESTEDMoisture
NOT TESTED

MISC.

Terpenes
NOT TESTED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation, Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64E20-39 and F.S. Rule 56-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL 0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation # 17025-2017 Accredited


Signature
05/12/25

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
<http://www.clearwaterbiotech.com>
Lic# 100737 L21-505



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.

Stay Cool

2800 Treble Lane #834
Austin, TX 78704
steven@drinkstaycool.com
(512) 971-1316
Lic. #

Sample: 2505CWB0114.0378

Strain: N/A

Batch#: 25118; Batch Size: g

Sample Received: 05/08/2025; Report Created: 05/12/2025

Sampling: ; Environment:

Stay Cool Beverages - Pineapple Wave - Delta-9^{Notes:}

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:



kaycha[®]
LABS
4131 SW 47th Avenue Suite 1408
Davie, FL 33314, US
(954) 368-7664

Kaycha Labs
2505CWB0114.0378
Matrix: Edible
Type: Beverage

PASSED

Certificate of Analysis

Clearwater Biotech, LLC

1327 Miller Road
Greenville, SC 29607, US
Telephone: (873) 250-5419
Email: info@clearwaterbiotech.com

Sample: DA50508014-003

Harvest/Lot ID: -

Batch#: -
Sampled: 05/08/25
Ordered: 05/08/25

Sample Size Received: 11 units
Total Amount: 11 units
Completed: 05/12/25 Expires: 05/12/26
Sample Method: 197

Page 2 of 4

Pesticides						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXYMETHYL	0.010	ppm	0.5	PASS	ND
TOTAL DITHIONOCHLORIDE	0.010	ppm	3	PASS	ND	PACLOTRIAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRIN	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAN	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROCONAZOLE	0.010	ppm	1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACETAMINOPHEN	0.010	ppm	2	PASS	ND	PROPRON	0.010	ppm	3	PASS	ND
ACETAMINOPHEN	0.010	ppm	3	PASS	ND	SPINOSAD	0.010	ppm	3	PASS	ND
ACETAMINOPHEN	0.010	ppm	0.1	PASS	ND	SPINOTHRAMAT	0.010	ppm	3	PASS	ND
ACETAMINOPHEN	0.010	ppm	3	PASS	ND	THIOPHANOLAN	0.010	ppm	1	PASS	ND
BIFENAZATE	0.010	ppm	0.5	PASS	ND	TRICLOPIRID	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.5	PASS	ND	THIANTHIOGUAN	0.010	ppm	3	PASS	ND
BOSSALD	0.010	ppm	3	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CARBARYL	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	3	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	3	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1	PASS	ND	TRIFLOTHIOLIN	0.010	ppm	3	PASS	ND
CHLORFENAPROLE	0.010	ppm	0.1								

Stay Cool

2800 Treble Lane #834
Austin, TX 78704
steven@drinkstaycool.com
(512) 971-1316
Lic. #

Sample: 2505CWB0114.0378

Strain: N/A
Batch#: 25118; Batch Size: g
Sample Received: 05/08/2025; Report Created: 05/12/2025
Sampling: ; Environment:

Stay Cool Beverages - Pineapple Wave - Delta-9^{Notes:}

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:



Certificate of Analysis

PASSED

Clearwater Biotech, LLC

1327 Miller Road
Greenville, SC 29607, US
Telephone: (873) 256-5419
Email: info@clearwaterbiotech.com

Sample: DA50508014-003

Harvest/Lot ID:

Batch: 1
Sampled: 05/08/25
Ordered: 05/08/25

Sample Size Received: 11 units
Total Amount: 11 units
Completed: 05/12/25 Expires: 05/12/26
Sample Method: 1P

Page 3 of 4



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHANE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	<2500.000
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analysed by: 4451, 585, 1440

Weight: 0.02g

Extraction date: 05/09/25 11:38:52

Extracted by: 4451

Analysis Method: SOP T.40.041.FL

Analytical Batch: DA0803050501

Instrument Used: DA-GCMS-012

Analyzed Date: 05/12/25 08:47:24

Batch Date: 05/09/25 10:45:37

Dilution: 1

Reagent: N/A

Consumables: N/A

Pipette: N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation, Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 56-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL 0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation # PLA-
Testing 97164

Signature
05/12/25

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
http://www.clearwaterbiotech.com
Lic# 100737 L21-505



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.

